GROWHARD FEEDING PROGRAM



GROW STAGE









| | G | R | 0 | ٧ | ۷ | A |
|--|---|---|---|---|---|---|
|--|---|---|---|---|---|---|

2.5 ml

3.5 ml

5 ml

5 ml

GROW B

| 2.5 ml | |
|--------|--|
| 3.5 ml | |
| 5 ml | |
| 5 ml | |

Activate and replace Co2 enahncer every 2 weeks. Through Grow & Bloom



BLOOM STAGE







1 ml

1 ml

1ml

0 ml





BLOOM A

| ı | | U |
|----|-------|---|
| RI | OOM B | |

NUTRIBOOST

BUD JUICE

| Week 1 | 3.5 ml | 3.5 ml | 0 ml | 2.5 ml | 0 ml |
|--------|--------|--------|------|--------|--------|
| | 4 ml | 4 ml | 2 ml | 2.5 ml | 0 ml |
| | 5 ml | 5 ml | 2 ml | 2.5 ml | 2.5 ml |
| | 5 ml | 5 ml | 2 ml | 2.5 ml | 2.5 ml |
| | 4 ml | 4 ml | 2 ml | 2.5 ml | 2.5 ml |
| | 3 ml | 3 ml | 2 ml | 2.5 ml | 2.5 ml |
| | 3 ml | 3 ml | 2 ml | 2.5 ml | 2.5 ml |
| | 0 ml | 0 ml | 0 ml | 0 ml | 2.5 ml |
| | | | | | |

ALL AMOUNTS PER 1 LITRE

Note: Always mix nutrients & additives in reservoir individually.

All EC ranges are based using a 500 TDS scale.

WATER QUALITY IS DIFFERENT IN EACH CITY/SUBURB

EARLY GROW

GROW PH 6.0 - 6.5 PH 5.5 - 6.2 EC 0.5 - 0.8 EC 1.2 - 2.0

BLOOM

LATE BLOOM PH 6.0 - 6.8

PH 5.8 - 6.5 EC 1.2 - 2.0

EC 1.5 - 2.4

HARVEST WEEK

PH 6.0 - 7.0 EC 0 - 0.8

AIM TO KEEP THE FOLLOWING LEVELS:

Water Temperature: 15 - 24°C Air Temperature: 20 - 30°C Humidity: 50%